

TOMUS XXXI.

<i>Peltonen J. and Vartiainen M.:</i> An agent based architecture style for application integration	3
<i>Systä T. and Hartikainen M.:</i> Towards a profile-based approach to manage SOA-to-SOA integration challenges	23
<i>Dražić G., Dobrić D., Radovanović M. and Ivanović M.:</i> Reference extraction and coauthorship visualization of semi-structured bibliographic data	43
<i>Pređen J. and Helander J.:</i> Context awareness in distributed computing systems	57
<i>Vesin B., Ivanović M. and Budimac Z.:</i> Learning management system for programming in Java ...	75
<i>Robotka Zs. and Zempléni A.:</i> Image retrieval using Gaussian mixture models	93
<i>Tejfel M., Kozsik T. and Horváth Z.:</i> A semantic model for proving properties of clean I/O programs	107
<i>Dévai G. and Pataki N.:</i> A tool for formally specifying the C++ standard template library	147
<i>Fülöp L.J., Ilia Á., Végh Á.Z., Hegedűs P. and Ferenc R.:</i> Comparing and evaluating design pattern miner tools	167
<i>Pásztor Varga K. and Várterész M.:</i> Many-valued logic, mappings, ICF graphs, normal forms	185
<i>Juhás M., Juhász Z., Samuelis L. and Szabó Cs.:</i> Measuring the complexity of students' assignments	202
<i>Ruff L.:</i> Optimisation of bidirectional systolic arrays with sparse input by "folding"	217
<i>Szilágyi Kocsisné Gy.:</i> Learning of constraint logic programs by combining unfolding and slicing techniques	235